



Below you will see the lots and descriptions of feeder calves that will be auctioned Friday October 13. There are 20 lots, 62 steers and 37 heifers, 109 in total. They were graded using USDA Feeder Calf Standards and sorted into similar weight groups. We did our best to keep the weight spread under 100 lb in each lot.

These producers are committed to providing calves that are either double vaccinated or have used modified live vaccinations for IBR, BRSV, PI3, BVD, M. haemolytica, clostridia, treated for internal and external parasites, weaned, on feed and drinking from waterers. All cattle will qualify for All Natural, having never received antibiotics or treated with growth promoting hormones and are age and source identified.

They will be sold by Tom Hosking of Hosking Sales, New Berlin NY on October 13, 2:00 pm. You can bid in person at the Schoharie Otsego Cooperative Extension Cooperstown Office, 123 Lake Street, Cooperstown, NY 13326, or on the phone, by calling: 1-888-394-8197, Pass code: 441517. To bid by phone, buyers must call CCE - Cooperstown Office 607-547-2536, ext. 231 the week of the sale (October 9-12) to register for the sale. The successful bidder will pick up the cattle on November at Hoskings Sales, 6096 State Highway 8, New Berlin, NY. More details are available at <http://beefcattle.ansci.cornell.edu/>, under "Events & Programs".

Bill Gibson, for the Central New York Beef Producers.

| Lot 1 | 2 Natural Steers | Carhart | | |
|-------------------|-------------------------|------------|-----|-----|
| Grade | | M1 | L1 | LM2 |
| Breed | Hereford | | | 2 |
| Wt range | 300-325 | Average wt | 310 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture and creep fed | | | |
| Comments | Qualify for All Natural | | | |

| Lot 2 | 5 Natural Steers | Carhart | | |
|-------------------|---|------------|-----|------|
| Grade | | M1 | L1 | LM2+ |
| Breed | Red | | | 5 |
| Wt range | 325-365 | Average wt | 345 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture and creep fed | | | |
| Comments | Upper end of #2 muscling; Qualify for All Natural | | | |

| Lot 3 | 4 Natural Steers | Carhart | | |
|-------------------|---------------------------------------|------------|-----|------|
| Grade | | M1 | L1 | LM2+ |
| Breed | RWF | | | 4 |
| Wt range | 350-425 | Average wt | 375 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture and creep fed | | | |
| Comments | Upper end of #2 muscling; All Natural | | | |

| Lot 4 | 5 Natural steers | Wall, Carhart | | |
|-------------------|---------------------------------------|---------------|-----|------|
| Grade | | M1 | L1 | LM2+ |
| Breed | Hereford | | | 5 |
| Wt range | 375-475 | Average wt | 415 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture, hay, creep fed | | | |
| Comments | Upper end of #2 muscling; All Natural | | | |

| Lot 5 | 9 Natural Steers | Maidens, Barton | | |
|-------------------|---|-----------------|-----|-----|
| Grade | | M+1 | L1 | LM2 |
| Breed | Black | 1 | | 8 |
| Wt range | 450-550 | Average wt | 515 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | 2# grain, hay, baleage, pasture | | | |
| Comments | Top end of medium frame; top end of #2 muscling, All Natural, 3 head with negative BVD test | | | |

| Lot 6 | 9 Natural Steers | Carhart, Wall | | |
|-------------------|-------------------------------------|---------------|-----|------|
| Grade | | M1 | ML1 | LM2+ |
| Breed | BWF | | | 2 |
| | Red | | 1 | 6 |
| Wt range | 450-575 | Average wt | 525 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture, creep, 2nd cut hay | | | |
| Comments | Top end of #2 muscling; All Natural | | | |

| | | | | |
|-------------------|---------------------------------------|--|-----|------|
| Lot 7 | 9 Natural Steers | VanDerwerken, T&F Farms, Nelson | | |
| Grade | | M1 | ML1 | LM2+ |
| Breed | Black/BWF | | 6 | 3 |
| Wt range | 500-600 | Average wt | 545 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | 2# grain, baleage, hay, pasture | | | |
| Comments | Upper end of #2 muscling, All Natural | | | |

| | | | | |
|-------------------|---|-------------------------------|-----|------|
| Lot 8 | 13 Natural Steers | Maidens, T&F Farms | | |
| Grade | | ML1 | L1 | LM2+ |
| Breed | Blk & BWF | 7 | | 6 |
| Wt range | 600-700 | Average wt | 640 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | 2# grain, baleage, hay, pasture | | | |
| Comments | Upper end of medium frame, upper end of #2 muscling, All Natural, 10 with negative BVD test | | | |

| | | | | |
|-------------------|---|-------------------------------|-----|------|
| Lot 9 | 2 Natural Steers | Maidens, T&F Farms | | |
| Grade | | M1 | ML1 | LM2+ |
| Breed | Black | 2 | | |
| Wt range | 750-825 | Average wt | 785 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | 2# grain, baleage, hay, pasture | | | |
| Comments | Solid M1, 1 with negative BVD test; All Natural | | | |

| | | | | |
|-------------------|---------------------------------------|-------------|-----|------|
| Lot 10 | 2 Natural Steers | King | | |
| Grade | | ML1 | L1 | LM2+ |
| Breed | Black | | | 2 |
| Wt range | 750-800 | Average wt | 775 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | 5# hay 2nd cut hay | | | |
| Comments | Upper end of #2 muscling, All Natural | | | |

| | | | | |
|-------------------|----------------------------------|--------------|-----|------|
| Lot 11 | 2 Natural Yearling Steers | Taber | | |
| Grade | | M1 | ML1 | LM2+ |
| Breed | BWF | 1 | | |
| | Red | | | 1 |
| Wt range | 830-880 | Average wt | 855 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture, hay | | | |
| Comments | All grass fed, All Natural | | | |

| | | | | |
|-------------------|--------------------------|----------------|-----|-----|
| Lot 12 | 5 Natural Heifers | Carhart | | |
| Grade | | M1 | ML1 | LM2 |
| Breed | Hereford | | | 5 |
| Wt range | 350-425 | Average wt | 375 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture and creep feed | | | |
| Comments | Qualify for All Natural | | | |

| | | | | |
|-------------------|---|----------------------|-----|------|
| Lot 13 | 7 Natural Heifers | Carhart, King | | |
| Grade | | M1 | ML1 | LM2+ |
| Breed | RWF | | | 3 |
| | Black BWF | | | 4 |
| Wt range | 350-450 | Average wt | 400 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture and creep feed | | | |
| Comments | Upper end of #2 muscling; Qualify for All Natural | | | |

| | | | | |
|-------------------|---|----------------------|-----|------|
| Lot 14 | 5 Natural Heifers | Carhart, Wall | | |
| Grade | | M1 | ML1 | LM2+ |
| Breed | Hereford | | | 5 |
| Wt range | 450-525 | Average wt | 490 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture, 2nd cut hay, creep feed | | | |
| Comments | Upper end of #2 muscling; Qualify for All Natural | | | |

| | | | | |
|-------------------|---|-------------------------------|-----|------|
| Lot 15 | 10 Natural Heifers | Maidens, T&F Farms | | |
| Grade | | LM1 | ML1 | LM2+ |
| Breed | Black, BWF | 2 | | 8 |
| Wt range | 500-575 | Average wt | 540 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture, Baleage, 2nd cut hay | | | |
| Comments | Upper end of Medium Frame and Upper end of #2 muscling; Qualify for All Natural | | | |

| | | | | |
|-------------------|---|---|-----|------|
| Lot 16 | 9 Natural Heifers | Carhart, Barton, Maidens, Nelson | | |
| Grade | | LM1 | ML1 | LM2+ |
| Breed | RWF | | | 2 |
| | Black, BWF | 4 | | 3 |
| Wt range | 425-575 | Average wt | 510 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | 2# grain, pasture, 2nd cut hay, baleage, creep feed | | | |
| Comments | Upper end of Medium Frame and Upper | | | |

| | | | | |
|-------------------|---|---------------------|-----|------|
| Lot 17 | 3 Natural Heifers | T&F Farm | | |
| Grade | | LM1 | ML1 | LM2+ |
| Breed | BWF | | | 3 |
| Wt range | 600-650 | Average wt | 620 | |
| Flesh cond. (1-9) | 5/6 | | | |
| Feed | Grain, hay, baleage | | | |
| Comments | Upper end of #2 muscling; Qualify for All Natural | | | |

| | | | | |
|-------------------|--|-------------|-----|------|
| Lot 18 | 2 Natural heifers | King | | |
| Grade | | LM1 | ML1 | LM2+ |
| Breed | Black | 2 | | |
| Wt range | 600-700 | Average wt | 650 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | 5# grain, 2nd cut hay | | | |
| Comments | All Natural, upper end of #1 frame score | | | |

| | | | | |
|-------------------|---|--------------|-----|------|
| Lot 19 | 1 Natural Yearling heifer | Taber | | |
| Grade | | LM1 | ML1 | LM2+ |
| Breed | Black | | | 1 |
| Wt range | 700 | Average wt | 700 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Lutalyse, grass fed | | | |
| Comments | Lutalyse, All Natural, upper end of #2 muscling | | | |

| | | | | |
|-------------------|---|--------------|-----|------|
| Lot 20 | 5 Natural Yearling heifers | Taber | | |
| Grade | | LM1 | ML1 | LM2+ |
| Breed | BWF | 3 | | |
| | Red, RWF | | | 2 |
| Wt range | 825-875 | Average wt | 850 | |
| Flesh cond. (1-9) | 4 | | | |
| Feed | Pasture, hay | | | |
| Comments | Lutalyse, All Natural, upper end of #2 frame score and #2 muscling. Replacement quality heifers | | | |