



Biomass Coverage in Mediterranean–Black Sea Region




Biomass Coverage Over Time in Mediterranean–Black Sea Region


Stocks ordered from lowest to highest average biomass






Region ■ forage fish ■ tuna-billfish ■ other marine percoidids ■ crabs-lobsters ■ shrimps




Summary method:  Median

 State-space model prediction




Mediterranean-Black Sea




Anchovy Adriatic Sea – Mediterranean–Black Sea Region

Stock represents 36.2% of average absolute surplus production




European pilchard Adriatic Sea – Mediterranean–Black Sea Region

Stock represents 15.4% of average absolute surplus production




European pilchard Northern Spain – Mediterranean–Black Sea Region

Stock represents 23.3% of average absolute surplus production




Albacore tuna Mediterranean – Mediterranean–Black Sea Region

Stock represents 0.677% of average absolute surplus production




Anchovy Adriatic Sea in Mediterranean–Black Sea Region




First and last years with recorded surplus production are labeled

European pilchard Adriatic Sea in Mediterranean–Black Sea Region




First and last years with recorded surplus production are labeled

European pilchard Northern Spain in Mediterranean–Black Sea Region



First and last years with recorded surplus production are labeled

Albacore tuna Mediterranean in Mediterranean–Black Sea Region



First and last years with recorded surplus production are labeled