


Biomass Coverage in Other Scorpaenids Taxonomy Group




Biomass Coverage Over Time in Other Scorpaenids Taxonomy Group


Stocks ordered from lowest to highest average biomass






Taxonomy Group ■ Australia ■ Canada West Coast ■ US Alaska ■ US West Coast




Summary method:  Median

 State-space model prediction




Atka mackerel Bering Sea and Aleutian Islands – Other Scorpaenids Taxonomy Group

Stock represents 71.9% of average absolute surplus production




Sablefish Eastern Bering Sea / Aleutian Islands / Gulf of Alaska – Other Scorpaenids Taxonomy Group

Stock represents 16.8% of average absolute surplus production




Sablefish Pacific Coast – Other Scorpaenids Taxonomy Group

Stock represents 5.01% of average absolute surplus production




Sablefish Pacific Coast of Canada – Other Scorpaenids Taxonomy Group

Stock represents 2.01% of average absolute surplus production




Region ■ Canada West Coast

Atka mackerel Bering Sea and Aleutian Islands in Other Scorpaenids Taxonomy Group




First and last years with recorded surplus production are labeled

Sablefish Eastern Bering Sea / Aleutian Islands / Gulf of Alaska in Other Scorpaenids Taxonomy Group




Sablefish Pacific Coast in Other Scorpaenids Taxonomy Group



First and last years with recorded surplus production are labeled

Sablefish Pacific Coast of Canada in Other Scorpaenids Taxonomy Group



First and last years with recorded surplus production are labeled